Brain Research Bulletin, Vol. 4. Copyright © 1979 by ANKHO International Inc. Printed in the U.S.A.

BRAIN RESEARCH BULLETIN

VOLUME 4, 1979

SUBJECT INDEX

Acetylcholine
  calcium, 669
  ionophore, 669
  neuromuscular junction, 669
  ruthenium red, 669
Acetylcholine-induced responses
  effects of various enzymes and chemical modification reagents, 184
  excitatory and inhibitory types, 184
Across-neuron patterns
  conditioned taste aversion, 359
  gustatory similarity, 359
  hamster taste profiles, 359
  nucleus tractus solitarius, 359
  parabrachial pons, 359
  taste quality coding, 359
ACTH
  attention, 625
  avoidance behavior, 625
  fornix transection, 625
  memory, 625
  vasopressin, 625
Actior potentials
  extracellular single unit recording, 773
  hypertonic solution injections, 773
  ontogeny of lateral preoptic
  unit activity, 773
  osmotic stimulation, 773
  pain stimulation, 773
Adenylate cyclase
  dopamine, 657
  MIF-I, 657
  postsynaptic receptor sites, 657
Afferent connections
  brain stem, 765
  HRP, 765
  hypothalamus, 765
  retrochiasmatic area, 765
  visual system, 765
Afferent projections
  dorsal pons, 497
  horseradish peroxidase, 497
  locus coeruleus, 497
  self-stimulation, 497
Aging
  chlorpromazine, 631
  hippocampus, 757
  hypothermia, 631
  neurophysiology, 757
  quantification of
  synaptic vesicles, 757
Agonistic behavior
  body weight, 833
  estrogen, 833
  medial forebrain bundle, 833
  sexual receptivity, 833
  supraoptic commissures, 833
  VMH, 833
Alimentary behavior
  amygdala, 475
  caudate nucleus, 475
  conditioning, 475
  feedback, 475
  internal inhibition, 475
Alkaline phosphatase
  histoenzymological mapping, 467
  medulla oblongata, 467
  5-nucleotidase, 467
AM transmitter
  electronic brain stimulation, 443
  miniature radio circuit, 443
  radio-monitor, 443
Amine storage mechanisms
  dopamine, 217
  locus coeruleus, 217
  norepinephrine, 217
  substantia nigra, 217
Amino acids
  brain resistance, 747
  neurotransmitters, 747
  restricted protein, 747
Ammon's horn formation, s1
Amphetamine
  ascorbic acid, 43

Numbers preceded by the letter s indicate items appearing in *The Anatomy of the Brain of the Bottlenose Dolphin* . . . Suppl., Vol. 4, 1979.

dopamine, 43
substantia nigra, 43
turning behavior, 43
Amygdala
alimentary behavior, 475
caudate nucleus, 475
p-chlorophenylalanine, 1
conditioning, 475
feedback, 475
internal inhibition, 475
kindling, 1
neocortex, 1
raphe lesions, 1
serotonin, 1
Anisomycin
anterior hypothalamus, 741
fever, 741
hypothalamic temperature mechanism, 741
preoptic area, 741
protein factor, 741
pyrogen infusion, 741
thermoregulation, 741
Anterior hypothalamic lesions
bisexual behavior, 505
feminine sexual behavior, 505
male rats, 505
masculine sexual behavior, 505
medial preoptic lesions, 505
Anterior hypothalamus
anisomycin, 741
fever, 741
hypothalamic temperature mechanism, 741
preoptic area, 741
protein factor, 741
pyrogen infusion, 741
thermoregulation, 741
Anterventral third ventricle
electrolyte regulation, 287
sodium consumption, 287
Antidromic-orthodromic collision
cell body location, 867
collision test principle, 867
conduction speed, 867
Antidromic unit
frontal cortex, 223
monosynaptic excitation, 223
monosynaptic facilitory pathway, 223
ventromedial hypothalamus, 223
Antipyretics
central pyrogens, 23
central thermosensitivity, 23
fever, 23
fever: central mechanisms, 297
medulla oblongata, 23
preoptic /anterior hypothalamus, 23
transport inhibition, 297
transport system, 297
Antiserum
arginnine vasotocin, 789
mammalian pineal gland, 789
radioimmunoassay, 789
4-AP
aplysia S and F cells, 162
potassium and calcium channels, 162
TEA, 162
Aplysia
central nervous system, 393
ganglionic synaptic connections, 393
interganglionic synaptic connections, 407
locomotion, 393, 407
parapodial movement, 407
pedal movement, 407
pleural neurons, 393, 407
polysynaptic pathway, 393
Aplysia S and F cells
4-AP, 162
potassium and calcium channels, 162
TEA, 162
Apparatus
amplitude and fall-time discrimination of unit spike activity using TTL, 135
apparatus for blocking small animal brains, 439
apparatus for EEG recording and electrical stimulation of discrete brain areas in an unrestrained small animal, 283
a bipolar electrode for peripheral nerve stimulation, 421
electrically quiet temperature controller, 139
improved simple tungsten microelectrode, 285
a minimum component AM transmitter to monitor electronic brain stimulation, 443
removable, conforming device for cooling the cortical surface, 871
self-centering head holder system for small animal stereotaxy, 141
simple apparatus for blocking small animal brains, 439
tapered tungsten fine-wire microelectrode for chronic single unit recording, 435
Aquatic mammals, s1
Arachidonic acid
hyperthermia, 15
indomethacin, 15
prostacyclin, 15
prostaglandin, 15
Archicortex, s1
Archicortical formations, s1
Arginine vasotocin
antiserum, 789
mammalian pineal gland, 789
radioimmunoassay, 789
Ascorbic acid
amphetamine-induced turning behavior, 43
dopamine, 43
substantia nigra, 43
Association cortex
cryogenic blockade, 539
influence of thalamic cooling on sensory responses, 91
multisensory system, 539
n. ventralis posterolateralis, 539
sensory evoked potentials, 539
thalamo-cortical nonspecific system, 91
thalamus, 539
Astrocytes
distribution of glial cells in the molecular layer of dentate gyrus, 35
Attention
ACTH, 615
avoidance behavior, 615
fornix transection, 615
memory, 615
vasopressin, 615
Audioradiography
light and electron microscope identification of monoaminergic terminals in the CNS, 99
Auditory efferent system
auditory nerve, 621
cerebellum, 621
cochlear microphonics, 621
sensory input control, 621
Auditory nerve
auditory efferent system, 621
cerebellum, 621
cochlear microphonics, 621
sensory input control, 621
Avoidance behavior
ACTH, 615
attention, 615
fornix transection, 615
memory, 615
vasopressin, 615

Baleen whales, s1
Bed nucleus
copulatory behavior, 131
penile reflexes, 131
stria terminalis, 131
Behavior
dopamine, 307
locus coeruleus, 307
morphine, 307
naloxone, 307
norepinephrine, 307
substantia nigra, 307
Biochemistry
distribution of norepinephrine and dopamine in cerebral cortical areas, 593
reversible effects of olfactory nerve section, 17
topography, 593
Bipolar electrical stimulation
peripheral nerves, 421
stimulating electrode, 421
Bisexual behavior
anterior hypothalamic lesions, 505
feminine sexual behavior, 505
male rats, 505
masculine sexual behavior, 505
medial preoptic lesions, 505
Body weight
agonistic behavior, 833
cellular dehydration, 373
drinking, 373
eating, 373
estrogen, 61, 833
fat diet, 61
glucose, 61
hyperdipsia, 373
hypovolemia, 373
medial forebrain bundle, 833
septal destruction, 373
sexual receptivity, 833
supraoptic commissures, 833
urine output, 373
VMH, 833
Bottlenose dolphin, s1
Brain
amygdala, 1, 475
anterior hypothalamus, 741
brainstem, 239, 359, 765
caudate nucleus 8, 475
caudate-putamen complex, 651
cerebellum, 313, 549, 621, 859
cerebral cortex, 593, 849
cingulate cortex, 849
cortex, 327, 735
corticobulbar tract, 635
dentate gyrus, s1, 35
dorsal pons, 497
fastigial nucleus, 549
fornix, 625
frontal cortex, 223, 231
hippocampus, s1, 239, 491, 609, 757
hypothalamus, 69, 213, 239, 259, 423, 459, 505, 535, 553, 765, 809, 829
identification and distribution of α-melanotropin, 809
interpeduncular nucleus, 843
lateral geniculate, 327, 579
lateral hypothalamus, 259, 267, 381
lateral preoptic area, 267, 381, 773
lateral reticular formation, 561
leucine renewal, 207
limbic system, s1
locus coeruleus, 75, 217, 307, 459, 497, 519, 849
medial forebrain bundle, 267, 381, 833
medial preoptic, 505, 513
median raphe nucleus, 643
medulla oblongata, 23, 467
mesencephalic reticular formation, 715, 725
midbrain central gray, 203
motor cortex, 635
α-MSH, 809
neocortex, 1
neonatal malnutrition, 207
neuronal amino acids, 207
neurons, 207
neuropeptide, 809
nucleus accumbens, 459
nucleus tractus solitarius, 359
nucleus ventralis posterolateralis, 539
olfactory bulbs, 339
optic nerve, 579
parabrachial pons, 359
peristriate cortex, 319
pineal gland, 731, 789
pituitary, 589
pontine gigantocellular field (FTG), 663
prefrontal cortex, 347
preoptic/anterior hypothalamus, 23, 505, 741
protein biosynthesis, 207
pulvinar nuclei, 327
raphe nucleus, 1, 491, 519, 561
reticular formation, 663
retrochiasmatic nucleus, 765
sensorimotor cortex, 431
septum, 85, 239, 373, 483, 715
spinal trigeminal nucleus, 75
stria terminalis, 131
striatum, 615, 651, 799
subiculum, 301
substantia nigra, 43, 217, 307, 459, 561
superior cerebellar peduncle, 549
superior colliculus, 327, 579
suprachiasmatic nucleus, 783
supraoptic commissures, 833
temporal cortex, 327
thalamus, 91, 119, 539, 675
third ventricle, 731
thyroid gland, 589
vagus nerve, 381
ventromedial hypothalamus, 223, 231, 259, 833
visual cortex, 319
Brain areas
electrochemical detection, 567
high pressure liquid chromatography, 567
serotonin, 567
Brain dipeptidase
distribution and role of glycyl-glycine hydrolase in cleavage of glycine-rich oligopeptides, 49
peptide metabolism, 49
Brain metabolism
cerebrospinal fluid, 333
hypoglycemia, 333
insulin, 333
lipids, 333
^{14}C-palmitate, 333
Brain resistance
amino acids, 747
neurotransmitters, 747
restricted protein, 747
Brain stimulation
cerebellum, 549
eating, 549
fastigial nucleus, 549
grooming, 549
superior cerebellar peduncle, 549
Brainstem
afferent connections, 765
dopamine, 239
HRP, 765
hypothalamus, 765

norepinephrine, 239
retrochiasmatic area, 765
role of limbic system in the control of growth, 239
serotonin, 239
visual system, 765

Calcitonin
immunoreactivity, 589
obesity, 589
pituitary gland, 589
thyroid gland, 589
Calcium
acetylcholine, 669
inward current activation, 169
ionophore, 669
kinetics, 169
Limulus, 809
neuromuscular junction, 669
receptor potential, 809
retinular cell, 809
ruthenium red, 669
sodium, 809
ventral photoreceptor, 809
verapamil, 809
Calcium channels
aplysia S and F cells, 162
4-AP, 162
conductive properties, 148
neuronal membranes, 148
TEA, 162
Calcium type muscle membrane
crayfish, 199
excitable ion channels, 199
Cannulation technique
cerebrospinal fluid, 575
freely moving rats, 575
Carnosine
biochemistry, 17
nerve regeneration, 17
neuron replacement, 17
olfactory-mediated behaviors, 17
olfactory nerve section, 17
Cat EEG
feline SMR, 431
human mu rhythm, 431
morphological evidence, 431
Caudate nucleus
alimentary behavior, 475
amygdala, 475
conditioning, 475
effects of stimulation of trigeminal sensory afferents, 9
feedback, 475
internal inhibition, 475
sensory-evoked unit responses, 9
Caudate-putamen complex
2-deoxy-D-glucose, 651
dopamine, 651
eating, 651
glucose, 651
insulin, 651
striatum, 651
Cell body location
antidromic-orthodromic collision, 867
collision test principle, 867
conduction speed, 867
Cellular dehydration
body weight, 373
drinking, 373
eating, 373
hyperdipsia, 373
hypovolemia, 373
septal destruction, 373
urine output, 373

Central mechanisms
antipyretics, 297
fever, 297
leukocytic pyrogens, 297
transport inhibition, 297
transport systems, 297
Central nervous system
aplysia, 393
ganglionic synaptic connections, 393
locomotion, 393
pleural neurons, 393
polysynaptic pathway, 393
Central pyrogens
antipyretics, 23
central thermosensitivity, 23
fever, 23
medulla oblongata, 23
preoptic/anterior hypothalamus, 23
Central thermosensitivity
antipyretics, 23
central pyrogens, 23
fever, 23
medulla oblongata, 23
preoptic/anterior hypothalamus, 23
Cerebellum
auditory efferent system, 621
auditory nerve, 621
brain stimulation, 549
choline acetyltransferase activity, 859
cholinergic circuits, 859
cochlear microphonics, 621
eating, 549
fastigial nucleus, 549
graft-versus-host-disease, 313
grooming, 549
lateral line system, 859
morphology, 313
sensory input control, 621
superior cerebellar peduncle, 549
teleost, 859
Cerebral cortex
biochemistry, 593
cingulate nucleus, 849
dopamine, 849
dopamine distribution, 593
dopamine-β-hydroxylase, 849
immunohistochemistry, 849
locus coeruleus, 849
monoamines, 849
norepinephrine, 849
norepinephrine distribution, 593
topography, 593
Cerebrospinal fluid
brain metabolism, 333
cannulation technique for repeated sampling, 575
hypoglycemia, 333
insulin, 333
lipids, 333
α-MSH levels, 213
^{14}C-palmitate, 333
pituitary α-MSH secretion, 213
Cetacea, s1
Cetacean brain, s1
Chemical modification
membrane proteins of the squid giant axon, 196
Chemical modification reagents
acetylcholine-induced responses, 184
excitatory and inhibitory types, 184
Chemical receptors
surface of the squid giant axon, 190
Chemically modulated channels
dimethyldiethanolammonium, 173
frog endplate, 173
ionic permeability, 173

onchidium neuron, 173
Chemoreceptive membranes
physicochemical aspects, 166
Choline acetyltransferase activity
cerebellum, 859
cholinergic circuits, 859
lateral line system, 859
teleost, 859
Cholinergic circuits
cerebellum, 859
choline acetyltransferase activity, 859
lateral line system, 859
teleost, 859
Chlorobutanol
latent period, 803
Limulus, 803
receptor potential, 803
ventral photoreceptor, 803
p-Chlorophenylalanine
amygdala, 1
kindling, 1
neocortex, 1
raphe lesions, 1
serotonin, 1
Chlorpromazine
aging, 631
hypothermia, 631
Chronic neuron recording
microinjections, 863
neurotropic substances, 863
single unit activity, 863
Chronic single unit recording
tapered tungsten fine-wire microelectrode, 435
Cingulate cortex
cerebral cortex, 849
dopamine, 849
dopamine-β-hydroxylase, 849
immunohistochemistry, 849
locus coeruleus, 849
monoamines, 849
norepinephrine, 849
Cochlear microphonics
auditory efferent system, 621
auditory nerve, 621
cerebellum, 621
sensory input control, 621
Cold stress
cycloheximide, 355
temperature regulation, 355
Collision test principle
antidromic-orthodromic collision, 867
cell body location, 867
conduction speed, 867
Comparative neuroanatomy, s1
Conditioned taste aversion
across-neuron patterns, 359
gustatory similarity, 359
hamster taste profiles, 359
nucleus tractus solitarius, 359
parabrachial pons, 359
taste quality coding, 359
Conditioning
alimentary behavior, 475
amygdala, 475
caudate nucleus, 475
feedback, 475
internal inhibition, 475
Conductance measurements
multilayered structure of the squid axon membrane, 193
Conduction speed
antidromic-orthodromic collision, 867
cell body location, 867
collision test principle, 867
Conductive properties
calcium channel, 148
neuronal membrane, 148
Conforming device
cortical cooling device, 871
Copulatory behavior
bed nucleus of the stria terminalis, 131
penile reflexes, 131
Coronal-pericruciate neurons
intracellularly studied excitability, 635
low frequency stimulation of the corticobulbar tract, 635
motor cortex, 635
Cornu ammonis, s1
Cortex
evoked potentials, 327
lateral geniculate, 327
pulvinar nuclei, 327
receptive fields, 327
superior colliculus, 327
temporal cortex, 327
vision, 327
Cortical cooling device
conforming device, 871
Corticobulbar tract
intracellularly studied excitability changes in coronal-pericruciate neurons, 635
low frequency stimulation, 635
motor cortex, 635
Crayfish
excitable ion channels in a calcium type muscle membrane, 199
Crayfish muscle
inhibitory postsynaptic current, 189
Cryogenic blockade
association cortex, 539
multisensory system, 539
n. ventralis posterolateralis, 539
sensory evoked potentials, 539
thalamus, 539
Cryoprobe
isotherm, 119
synaptic blockade, 119
thalamus, 119
Cycloheximide
cold stress, 355
temperature, 355

Degeneration method
light and electron microscope identification of monoaminergic terminals in the CNS, 99
Dendritic deafferentiation
interpeduncular nucleus, 843
quantitative electron microscopy, 843
somatic synapse sprouting, 843
synaptic plasticity, 843
Dentate gyrus
astrocytes, 35
distribution of glial cells in the molecular layer, 35
2-Deoxy-D-glucose
caudate-putamen complex, 651
dopamine, 651
eating, 651
glucose, 651
insulin, 651
striatum, 651
Dextrose-diet
eating, 69
fat-diet, 69
goldthioglucose, 69
hypothalamus, 69
Dimethyldiethanolammonium
frog endplate, 173
ionic permeability of chemically modulated channels, 173
onchidium neuron, 173

DOPA
brain melanin, 793
MSH, 793
pigment, 793
Dopamine
adenylate cyclase, 657
amine storage mechanisms, 217
amphetamine-induced turning behavior, 43
ascorbic acid, 43
behavior, 307
biochemistry, 593
brainstem, 239
caudate-putamen complex, 651
cerebral cortex, 849
cingulate cortex, 849
2-deoxy-D-glucose, 651
distribution in cerebral cortex, 593
dopamine-β-hydroxylase, 849
eating, 651
estrogen, 85
GABA, 85
glucose, 651
hippocampus, 239
hypothalamus, 239
immunohistochemistry, 849
insulin, 651
locus coeruleus, 217, 307, 849
lordosis, 85
MIF-I, 657, 799
monoamines, 849
morphine, 307
naloxone, 307
norepinephrine, 217, 239, 307, 849
Parkinson's disease, 799
postsynaptic receptor sites, 657
role of limbic system in the control of growth, 239
septal lesion, 85
serotonin, 239
striatum, 651, 799
substantia nigra, 43, 217, 307
topography, 593
turnover, 799
Dopamine-β-hydroxylase
cerebral cortex, 849
cingulate cortex, 849
dopamine, 849
immunohistochemistry, 849
locus coeruleus, 849
monoamines, 849
norepinephrine, 849
Dorsal pons
afferent projections, 497
horseradish peroxidase, 497
locus coeruleus, 497
self-stimulation, 497

Duodenal distension
gastric distension, 259
gastrointestinal receptors, 259
eating regulation, 259
lateral hypothalamus, 259
unit responses, 259
ventromedial hypothalamus, 259
Drinking
body weight, 373
cellular dehydration, 373
eating, 373, 381, 643
gastric distension, 267, 381
gastric water infusion, 267
5-hydroxytryptamine, 643
hyperdipsia, 373
hypovolemia, 373
lateral hypothalamus, 267, 381
lateral preoptic area, 267, 381
medial forebrain bundle, 267, 381
median raphe nucleus, 643
motor activity, 643
septal destruction, 373
single unit activity, 267, 381
urine output, 373
vagus nerve, 381
water deprivation, 267
wheel running activity, 643
Drug
acetylcholine, 669
alkaline phosphatase, 467
amphetamine, 43
anisomycin, 741
arachidonic acid, 15
ascorbic acid, 43
calcitonin, 589
calcium, 669
carnosine, 17
chlorobutanol, 803
p-chlorophenylalanine, 1
chlopromazine, 631
cycloheximide, 355
cysteine hydrochloride, 603
2-deoxy-D-glucose, 651
dimethyldiethanolammonium, 173
dopamine, 43, 85, 217, 239, 307, 593, 651, 657, 799, 849
dopamine-β-hydroxylase, 849
estrogen, 61, 85
ethanol, 603
fluoxetine, 731
glucose, 61, 651
5-hydroxyindole acetic acid, 731
5-hydroxytryptamine, 643, 731
1-5-hydroxytryptophan, 491, 731
indomethacin, 15
isethionic acid, 603
liver alcohol dehydrogenase, 603
melatonin, 725
methergoline, 731
MIF-I, 657, 799
morphine, 307, 609, 615
naloxone, 307, 615, 721
norepinephrine, 217, 239, 307, 593
5-nucleotidase, 467
opium, 721
^{14}C-palmitate, 333
prostacyclin, 15
prostaglandin E_2, 15
ruthenium red, 669
serotonin, 1, 239, 567, 571, 731
taurine, 603
taurocholic acid, 603
^{3}H-thymidine, 615
verapamil, 809

Early electrical stimulation
hypothalamus, 459
long-term effect on learning, 459
nucleus accumbens, 459
nucleus locus coeruleus, 459
substantia nigra, 459
Eating
body weight, 373
brain stimulation, 549
caudate-putamen complex, 651
cellular dehydration, 373
cerebellum, 549
2-deoxy-D-glucose, 651
dextrose-diet, 69
dopamine, 651
drinking, 373, 381, 643
fastigial nucleus, 549

fat-diet, 69
gastric distension, 381
glucose, 651
goldthioglucose, 69
grooming, 549
5-hydroxytryptamine, 643
hyperdipsia, 373
hypothalamus, 69
hypovolemia, 373
insulin, 651
lateral hypothalamus, 381
lateral preoptic area, 381
medial forebrain bundle, 381
median raphe nucleus, 643
motor activity, 643
septal destruction, 373
single neuronal activity, 381
striatum, 651
superior cerebellar peduncle, 549
urine output, 373
vagus nerve, 381
wheel running activity, 643
Eating regulation
duodenal distension, 259
gastric distension, 259
gastrointestinal receptors, 259
lateral hypothalamus, 259
unit responses, 259
ventromedial hypothalamus, 259
EEG activity
hippocampal arousal, 491
l-5-hydroxytryptophan, 491
midbrain raphe nuclei, 491
EEG recording
electrical stimulation, 283
seizure activity, 283
Egg cell membrane
some properties of ionic channels, 186
Electrical behavior
gramicidin, 154
multi-barrier, 154
multi-occupancy, 154
multi-site, 151
single filing channels, 151
Electrical receptors
surface of the squid giant axon, 190
Electrical stimulation
EEG recording, 283
lateral reticular formation, 561
raphe neurons, 561
seizure activity, 283
single unit activity, 561
substantia nigra, 561
Electrically inexcitable
membrane, 153
pore size analysis, 153
Electrochemical detection
brain areas, 567
high pressure liquid chromatography, 567
picogram levels of serotonin, 567
Electrolyte regulation
anterventral third ventricle, 287
sodium consumption, 287
Electrolytic lesions
deposit-free, 675
sodium appetite, 675
thalamus, 675
Electron microscope
audioradiography, 99
degeneration method, 99
fluorescence histochemistry, 99
immunocytochemistry, 99
monoaminergic nerve terminals, 99
retrograde tracing methods, 99
Electronic brain stimulation
AM transmitter, 443
miniature radio circuit, 443
radio-monitor, 443
Endplate channels
ion movements, 147
Enzymes
acetylcholine-induced responses, 184
excitatory and inhibitory types, 184
Epileptiform activity
hippocampal cells, 609
intracellular effects, 609
morphine, 609
Estradiol
effects of ovarian hormones on levels of LH in plasma, 571
effects on serotonin concentration, 571
Estradiol benzoate
hypothalamus, 423
lordosis, 423
neural degeneration, 423
progesterone, 423
sex behavior, 423
Estrogen
agonistic behavior, 833
body weight, 61, 833
dopamine, 85
fat diet, 61
GABA, 85
glucose, 61
lordosis, 85
medial forebrain bundle, 833
septal lesions, 85
sexual receptivity, 833
supraoptic commissures, 833
VMH, 833
Estrogen-primed ovariectomized
lordosis, 203
luteinizing hormone-releasing hormone, 203
midbrain central gray, 203
sexual behavior, 203
Ethanol
elicited responses, 603
motility, 603
taurine, 603
taurine analogues, 603
Evoked neuronal activity
melatonin, 725
mesencephalic reticular formation, 725
spontaneous neuronal activity, 725
Evoked potential correlates
exploratory behavior, 447
inter-individual differences, 447
recovery cycles of visual evoked potentials, 447
Evoked potentials
cortex, 327
lateral geniculate, 327
pulvinar nuclei, 327
receptive fields, 327
superior colliculus, 327
temporal cortex, 327
vision, 327
Excitable cells
K channels, 159
multi-ion pores, 159
Excitable ion channels
calcium type muscle membrane of the crayfish, 199
Excitatory
acetylcholine-induced responses, 184
Exploratory behavior
evoked potential correlates, 447
inter-individual differences, 447
recovery cycles of visual evoked potentials, 447
Extracellular single unit recording
action potentials, 773

hypertonic solution injections, 773
ontogeny of lateral preoptic unit activity, 773
osmotic stimulation, 773
pain stimulation, 773
Extracellular unit recording
micropipette technique, 291
tip size adjustment, 291

Fat diet
body weight, 61
dextrose-diet, 69
eating, 69
estrogen, 61
glucose, 61
goldthioglucose, 69
hypothalamus, 69
Fascia dentata, s1
Fasciola cinerea, s1
Fastigial nucleus
brain stimulation, 549
cerebellum, 549
eating, 549
grooming, 549
superior cerebellar peduncle, 549
Feedback
alimentary behavior, 475
amygdala, 475
caudate nucleus, 475
conditioning, 475
internal inhibition, 475
Feedback loop
locus coeruleus, 75
spinal trigeminal nucleus, 75
tooth pulp stimulation, 75
Feline SMR
cat EEG, 431
human mu rhythm, 431
morphological evidence, 431
Feminine sexual behavior
anterior hypothalamic lesions, 505
bisexual behavior, 505
male rats, 505
masculine sexual behavior, 505
medial preoptic lesions, 505
Fever
anisomycin, 741
anterior hypothalamus, 741
antipyretics, 23, 297
central mechanisms, 297
central pyrogens, 23
central thermosensitivity, 23
hypothalamic temperature mechanism, 741
leukocytic pyrogens, 297
medulla oblongata, 23
preoptic/anterior hypothalamus, 23
preoptic area, 741
protein factor, 741
pyrogen infusion, 741
thermoregulation, 741
transport inhibition, 297
transport systems, 297
Fine-wire microelectrode
chronic single unit recording, 435
tapered tungsten, 435
Fluorescence histochemistry
light and electron microscope identification of monoaminergic terminals in the CNS, 99
Fluoxetine
5-HIAA, 731
5-HT, 731
5-HTP, 731
methergoline, 731
NREM sleep, 731
pineal vasotocin, 731
REM sleep, 731
third ventricle, 731
Fornix transection
ACTH, 625
attention, 625
avoidance behavior, 625
memory, 625
vasopressin, 625
Freely moving rats
cannulation technique for sampling cerebrospinal fluid, 575
Frog endplate
dimethylethanolammonium, 173
ionic permeability of chemically modulated channels, 173
onchidium neuron, 173
Frontal cortex
antidromic unit, 223
glycine, 231
inhibitory pathway, 231
monosynaptic excitation, 223
monosynaptic facilitory pathway, 223
ventromedial hypothalamus, 223, 231

GABA
dopamine, 85
estrogen, 85
ionic channels, 178
lordosis, 85
onchidium neuron, 178
receptors, 178
septal lesions, 85
Ganglionic synaptic connection
aplysia, 393
central nervous system, 393
locomotion, 393
pleural neurons, 393
polysynaptic pathway, 393
Gastric distension
drinking, 267, 381
duodenal distension, 259
eating, 381
eating regulation, 259
gastric water infusion, 267
gastrointestinal receptors, 259
lateral hypothalamus, 259, 267, 381
lateral preoptic area, 267, 381
medial forebrain bundle, 267, 381
single unit activity, 267, 381
unit responses, 259
vagus nerve, 381
ventromedial hypothalamus, 259
water deprivation, 267
Gastric water infusion
drinking, 267
gastric distension, 267
lateral hypothalamus, 267
lateral preoptic area, 267
medial forebrain bundle, 267
single unit activity, 267
water deprivation, 267
Gastrointestinal receptors
duodenal distension, 259
gastric distension, 259
eating regulation, 259
lateral hypothalamus, 259
unit responses, 259
ventromedial hypothalamus, 259
Glial cells
astrocytes, 35
distribution in the molecular layer of the dentate gyrus, 35
DNA, 615
morphine, 615
naloxone, 615

striatum, 615
subependymal, 615
H^3-thymidine, 615
Glycine
frontal cortex, 231
inhibitory pathway, 231
ventromedial hypothalamus, 231
Glycyl-glycine hydrolase
brain dipeptidase, 49
distribution and role in cleavage of glycine-rich oligopeptides, 49
peptide metabolism, 49
Glycyl oligopeptides
brain dipeptidase, 49
distribution and role of glycyl-glycine hydrolase in cleavage of glycine-rich oligopeptides, 49
peptide metabolism, 49
Glucose
body weight, 61
caudate-putamen complex, 651
2-deoxy-D-glucose, 651
dopamine, 651
eating, 651
estrogen, 61
fat diet, 61
insulin, 651
striatum, 651
Goldthioglucose
dextrose-diet, 69
eating, 69
fat-diet, 69
hypothalamus, 69
Golgi-Kopsch modification
histology, 127
Gonadotropic activity
olfactory bulbs, 339
photoperiodism, 339
thyrotropic activity, 339
Gonadotropin secretion
hypothalamus, 783
LH-releasing hormone, 783
suprachiasmatic nucleus lesions, 783
Graft-versus-host-disease
cerebellum morphology, 313
Gramicidin
multi-site, multi-barrier, multi-occupancy models for the electrical behavior of single filing channels, 151
Grooming
brain stimulation, 549
cerebellum, 549
eating, 549
fastigial nucleus, 549
superior cerebellar peduncle, 549
Growth
brainstem, 239
dopamine, 239
hippocampus, 239
hypothalamus, 239
norepinephrine, 239
limbic system, 239
serotonin, 239
Gustatory similarity
across-neuron patterns, 359
conditioned taste aversion, 359
hamster taste profiles, 359
nucleus tractus solitarius, 359
parabrachial pons, 359
taste quality coding, 359

Hamster taste profiles
across-neuron patterns, 359
conditioned taste aversion, 359
gustatory similarity, 359
nucleus tractus solitarius, 359
parabrachial pons, 359
taste quality coding, 359
Head holder
self-centering, 141
stereotaxy, 141
5-HIAA
fluoxetine, 731
5-HT, 731
5-HTP, 731
methergoline, 731
NREM sleep, 731
pineal vasotocin, 731
REM sleep, 731
third ventricle, 731
Hibernation
naloxone, 721
opioid peptides, 721
opioid withdrawal syndrome, 721
High pressure liquid chromatography
brain areas, 567
electrochemical detection of serotonin, 567
picogram levels, 567
Hippocampal arousal
EEG activity, 491
1-5-hydroxytryptophan, 491
midbrain raphe nuclei, 491
Hippocampal cells
epileptiform activity, 609
intracellular effects, 609
morphine, 609
Hippocampal fields, s1
Hippocampal formation, s1
Hippocampal rudiment, s1
Hippocampus
aging, 757
dopamine, 239
neurophysiology, 757
norepinephrine, 239
quantification of synaptic vesicles, 757
role of limbic system in the control of growth, 239
serotonin, 239
Histidine residues
physiological role in the inner surface membrane of the squid giant axon, 187
Histoenzymological mapping
alkaline phosphatase, 467
medulla oblongata, 467
5-nucleotidase, 467
Histology
a reliable Golgi-Kopsch modification, 127
Hormone
ACTH, 625
arginine vasotocin, 789
estradiol, 423
estradiol benzoate, 423
estrogen, 203, 833
insulin, 651
luteinizing hormone, 571
luteinizing hormone-releasing hormone, 213, 783
melanin, 793
melanocyte-stimulating hormone (MSH), 213, 535, 793, 829
norepinephrine, 849
PGE_2, 297
progesterone, 423, 571
vasopressin, 625
vasotocin, 731, 789
Horseradish peroxidase
afferent connections, 765
afferent projections, 497
brain stem, 765
dorsal pons, 497
hypothalamus, 765
locus coeruleus, 497

locus coeruleus afferents, 519
locus coeruleus-raphe interactions, 519
neural inputs, 347
prefrontal agranular insular cortex, 347
raphe efferents, 519
retrochiasmatic area, 765
retrograde transport, 519
self-stimulation, 497
serotonergic innervation, 519
visual system, 765
5-HT
fluoxetine, 731
5-HIAA, 731
5-HTP, 731
methergoline, 731
NREM sleep, 731
pineal vasotocin, 731
REM sleep, 731
third ventricle, 731
5-HTP
fluoxetine, 731
5-HIAA, 731
5-HT, 731
methergoline, 731
NREM sleep, 731
pineal vasotocin, 731
REM sleep, 731
Human mu rhythm
cat EEG, 431
feline SMR, 431
morphological evidence, 431
Humpback whale brain, s1
5-Hydroxytryptamine
drinking, 643
eating, 643
median raphe nucleus, 643
motor activity, 643
wheel running activity, 643
l-5-Hydroxytryptophan
EEG activity, 491
hippocampal arousal, 491
midbrain raphe nuclei, 491
Hyperdipsia
body weight, 373
cellular dehydration, 373
drinking, 373
eating, 373
hypovolemia, 373
septal destruction, 373
urine output, 373
Hyperthermia
arachidonic acid, 15
indomethacin, 15
prostacyclin, 15
prostaglandin E_2, 15
Hypertonic solution injections
action potentials, 773
extracellular single unit recording, 773
ontogeny of lateral preoptic unit activity, 773
osmotic stimulation, 773
pain stimulation, 773
Hypoglycemia
brain metabolism, 333
cerebrospinal fluid, 333
insulin, 333
lipids, 333
^{14}C-palmitate, 333
Hypothalamic temperature mechanism
anisomycin, 741
anterior hypothalamus, 741
fever, 741
preoptic area, 741
protein factor, 741
pyrogen infusion, 741
thermoregulation, 741
Hypothalamus
afferent connections, 765
brain, 809
brain stem, 765
dextrose-diet, 69
dopamine, 239
early electrical stimulation, 459
eating, 69
estradiol benzoate, 423
fat-diet, 69
goldthioglucose, 69
gonadotropin secretion, 783
HRP, 765
identification and distribution of α-melanotropin, 809
immunoreactivity, 535
learning, 459
LH-releasing hormone, 783
lordosis, 423
α-MSH, 535, 809
neural degeneration, 423
neuronal peptide, 535
neuropeptide, 809
norepinephrine, 239
progesterone, 423
psychogenetics, 553
retrochiasmatic area, 765
reward/aversion, 553
RHA/RLA-rats, 553
role of limbic system in the control of growth, 239
self-stimulation, 553
serotonin, 239
sex behavior, 423
subcellular fractionation, 535
suprachiasmatic nucleus lesions, 783
synaptosomes, 535
visual system, 765
Hypothermia
aging, 631
chlorpromazine, 631
Hypovolemia
body weight, 373
cellular dehydration, 373
drinking, 373
eating, 373
hyperdipsia, 373
septal destruction, 373
urine output, 373

Immunocytochemistry
light and electron microscope identification of monoaminergic terminals in the CNS, 99
Immunohistochemistry
cerebral cortex, 849
cingulate cortex, 849
dopamine, 849
dopamine-β-hydroxylase, 849
locus coeruleus, 849
monoamines, 849
norepinephrine, 849
Immunoreactive
radioimmunoassay, 57
regional distribution of neurotensin, 57
Immunoreactivity
calcitonin, 589
hypothalamus, 535
α-MSH, 535
neuronal peptide, 535
obesity, 589
pituitary gland, 589
subcellular fractionation, 535
synaptosomes, 535
thyroid gland, 589

Indomethacin
arachidonic acid, 15
hyperthermia, 15
prostacyclin, 15
prostaglandin E_2, 15
Indusium griseum, s1
Inhibitory
acetylcholine-induced responses, 184
crayfish muscle, 189
postsynaptic current, 189
Inhibitory pathway
frontal cortex, 231
glycine, 231
ventromedial hypothalamus, 231
Inner surface membrane
physiological role of histidine residues, 187
squid giant axon, 187
Insulin
brain metabolism, 333
caudate-putamen complex, 651
cerebrospinal fluid, 333
2-deoxy-D-glucose, 651
dopamine, 651
eating, 651
glucose, 651
hypoglycemia, 333
lipids, 333
^{14}C-palmitate, 333
striatum, 651
Interchangeable association
ionophores, 149
neurotransmitter receptors, 149
Interganglionic synaptic connections
aplysia, 407
locomotion, 407
parapodial movement, 407
pedal movement, 407
pleural neurons, 407
Inter-individual differences
evoked potential correlates, 447
exploratory behavior, 447
recovery cycles of visual evoked potentials, 447
Internal inhibition
alimentary behavior, 475
amygdala, 475
caudate nucleus, 475
conditioning, 475
feedback, 475
Interpeduncular nucleus
dendritic deafferentiation, 843
quantitative electron microscopy, 843
somatic synapse sprouting, 843
synaptic plasticity, 843
Intracellular calcium
induced spike in internally perfused squid axons, 195
Intracellular effects
epileptiform activity, 609
hippocampal cells, 609
morphine, 609
Intracellular recording
coronal-pericruciate neurons, 635
low frequency stimulation of the corticobulbar tract, 635
motor cortex, 635
Inward current activation
calcium, 169
kinetics, 169
Ion movements
endplate channels, 147
Ionic channels
GABA receptors, 178
egg cell membrane, 186
onchidium neuron, 178
properties, 186
Ionic permeability
chemically modulated channels in the frog endplate and the onchidium neuron, 173
dimethyldiethanolammonium, 173
Ionophore
acetylcholine, 669
calcium, 669
interchangeable association of neurotransmitter receptors, 149
neuromuscular junction, 669
ruthenium red, 669
Isotherm
cryoprobe, 119
synaptic blockade, 119
thalamus, 119

K channels
excitable cells as multi-ion pores, 159
Kindling
amygdala, 1
p-chlorophenylalanine, 1
neocortex, 1
raphe lesions, 1
serotonin, 1
Kinetics
calcium inward current activation, 169
Kowa RC-2 fundus camera
retinal circulation, 123
self photography without the use of mydriatics, 123

Latency distribution
lateral geniculate, 579
optic nerve, 579
orthodromic stimulation, 579
superior colliculus, 579
Latent period
chlorobutanol, 803
Limulus, 803
receptor potential, 803
ventral photoreceptor, 803
Lateral geniculate
cortex, 327
evoked potentials, 327
latency distribution, 579
optic nerve, 579
orthodromic stimulation, 579
pulvinar nuclei, 327
receptive fields, 327
superior colliculus, 327, 579
temporal cortex, 327
vision, 327
Lateral hypothalamus
drinking, 267, 381
duodenal distension, 259
eating, 381
eating regulation, 259
gastric distension, 259, 267, 381
gastrointestinal receptors, 259
gastric water infusion, 267
lateral preoptic area, 267, 381
medial forebrain bundle, 267, 381
single neuronal activity, 381
single unit activity, 267
unit responses, 259
vagus nerve, 381
ventromedial hypothalamus, 259
water deprivation, 267
Lateral line system
cerebellum, 859
choline acetyltransferase activity, 859
cholinergic circuits, 859
teleost, 859
Lateral preoptic area
action potentials, 773

drinking, 267, 381
eating, 381
extracellular recording, 773
gastric distension, 267, 381
gastric water infusion, 267
hypertonic solution injections, 773
lateral hypothalamus, 267, 381
medial forebrain bundle, 267, 381
ontogeny, 773
osmotic stimulation, 773
pain stimulation, 773
single unit activity, 267, 381
vagus nerve, 381
water deprivation, 267
Lateral reticular formation
electrical stimulation, 561
raphe neurons, 561
single unit activity, 561
substantia nigra, 561
Learning
hypothalamus, 459
long-term effect on learning, 459
nucleus accumbens, 459
nucleus locus coeruleus, 459
substantia nigra, 459
Leucine renewal
brain, 207
neonatal malnutrition, 207
neuronal amino acids, 207
neurons, 207
protein biosynthesis, 207
Leukocytic pyrogens
antipyretics, 297
fever: central mechanisms, 297
transport inhibition, 297
transport systems, 297
LH-releasing hormone
estrogen-primed ovariectomized, 203
gonadotropin secretion, 783
hypothalamus, 783
lordosis, 203
midbrain central gray, 203
sexual behavior, 203
suprachiasmatic nucleus lesions, 783
Light microscope
audioradiography, 99
degeneration method, 99
fluorescence histochemistry, 99
immunocytochemistry, 99
monoaminergic nerve terminals, 99
retrograde tracing methods, 99
Limbic lobe, s1
Limbic system
brainstem, 239
dopamine, 239
growth, 239
hippocampus, 239
hypothalamus, 239
norepinephrine, 239
serotonin, 239
Limulus
calcium, 809
chlorobutanol, 803
latent period, 803
programmed conductance clamp, 819
receptor current, 819
receptor potential, 803, 809, 819
retinular cell, 809
sodium, 809
ventral photoreceptor, 803, 809
verapamil, 809
voltage clamp, 819
Lipids
brain metabolism, 333
cerebrospinal fluid, 333
hypoglycemia, 333
insulin, 333
^{14}C-palmitate, 333
Locomotion
aplysia, 393, 407
central nervous system, 393
ganglionic synaptic connection, 393
interganglionic synaptic connections, 407
parapodial movement, 407
pedal movement, 407
pleural neurons, 393, 407
polysynaptic pathway, 393
Locus coeruleus
afferent projections, 497
amine storage mechanisms, 217
behavior, 307
cerebral cortex, 849
cingulate cortex, 849
dopamine, 217, 307, 849
dopamine-β-hydroxylase, 849
dorsal pons, 497
feedback loop, 75
horseradish peroxidase, 497
immunohistochemistry, 849
monoamines, 849
morphine, 307
naloxone, 307
norepinephrine, 217, 307, 849
self-stimulation, 497
spinal trigeminal nucleus, 75
substantia nigra, 217, 307
tooth pulp stimulation, 75
Locus coeruleus afferents
horseradish peroxidase, 519
locus coeruleus-raphe interactions, 519
raphe efferents, 519
retrograde transport, 519
serotonergic innervation, 519
Locus coeruleus-raphe interactions
horseradish peroxidase, 519
locus coeruleus afferents, 519
raphe efferents, 519
retrograde transport, 519
serotonergic innervation, 519
Lordosis
dopamine, 85
estradiol benzoate, 423
estrogen, 85
estrogen-primed ovariectomized, 203
GABA, 85
hypothalamus, 423
luteinizing hormone-releasing hormone, 203
male and female guinea pigs, 513
medial preoptic lesions, 513
midbrain central gray, 203
neural degeneration, 423
progesterone, 423
septal lesions, 85
sexual behavior, 203, 423
Luteining hormone
effects of ovarian hormones on plasma levels, 571
estradiol, 571
progesterone, 571
serotonin, 571

Male and female guinea pigs
lordosis behavior, 513
medial preoptic lesions, 513
Male rats
anterior hypothalamic lesions, 505
bisexual behavior, 505
feminine sexual behavior, 505

masculine sexual behavior, 505
medial preoptic lesions, 505
Mapping
sensory responsiveness, 483
septal area, 483
single unit recording, 483
Masculine sexual behavior
anterior hypothalamic lesions, 505
bisexual behavior, 505
feminine sexual behavior, 505
male rats, 505
medial preoptic lesions, 505
Mathematical model
a model for synaptic transmission, 170
synaptic delay, 170
Medial forebrain bundle
agonistic behavior, 833
body weight, 833
drinking, 267, 381
eating, 381
estrogen, 833
gastric distension, 267, 381
gastric water infusion, 267
lateral hypothalamus, 267, 381
lateral preoptic area, 267, 381
sexual receptivity, 833
single unit activity, 267, 381
supraoptic commissures, 833
vagus nerve, 381
VMH, 833
water deprivation, 267
Medial preoptic lesions
anterior hypothalamic lesions, 505
bisexual behavior, 505
feminine sexual behavior, 505
lordosis behavior, 513
male and female guinea pigs, 513
male rats, 505
masculine sexual behavior, 505
Median raphe nucleus
drinking, 643
eating, 643
5-hydroxytryptamine, 643
motor activity, 643
wheel running activity, 643
Medulla oblongata
alkaline phosphatase, 467
antipyretics, 23
central pyrogens, 23
central thermosensitivity, 23
fever, 23
histoenzymological mapping, 467
5-nucleotidase, 467
Melanin
brain, 793
DOPA, 793
MSH, 793
pigment, 793
α-Melanocyte-stimulating hormone
brain, 793
DOPA, 793
melanin, 793
pigment, 793
α-Melanotropin
brain, 809
hypothalamus, 809
identification and distribution, 809
α-MSH, 809
neuropeptide, 809
Melatonin
mesencephalic reticular formation, 725
spontaneous and evoked neuronal activity, 725
Membrane channels
anomalous rectification in starfish egg, 159
gates, 176
structure, 176
Membrane gates
channels, 176
Membrane proteins
chemical modification, 196
squid giant axon, 196
Membranes
channels and gates, 176
pore size analysis of an electrically inexcitable membrane, 153
Memory
ACTH, 615
attention, 615
avoidance behavior, 615
fornix transection, 615
vasopressin, 615
Mesencephalic reticular formation
melatonin, 725
multiunit activity, 715
septal area, 715
spontaneous and evoked neuronal activity, 725
wakefulness and sleep cycle, 715
Methergoline
fluoxetine, 731
5-HIAA, 731
5-HT, 731
5-HTP, 731
NREM sleep, 731
pineal vasotocin, 731
REM sleep, 731
third ventricle, 731
Method
horseradish peroxidase, 497
rapid and simple cannulation technique for repeated sampling of cerebrospinal fluid in freely moving rats, 575
reliable Golgi-Kopsch modification, 127
technique for applying neurotropic substances onto single unit in awake animals, 863
technique for the controlled fracture of micropipette electrode tips, 291
Microinjections
chronic neuron recording, 863
neurotropic substances, 863
single unit activity, 863
Micropipette technique
extracellular unit recording, 291
tip size adjustment, 291
Midbrain central gray
estrogen-primed ovariectomized, 203
lordosis, 203
luteinizing hormone-releasing hormone, 203
sexual behavior, 203
Midbrain raphe nuclei
EEG activity, 491
hippocampal arousal, 491
l-5-hydroxytryptophan, 491
MIF-I
adenylate cyclase, 657
dopamine, 657
dopamine turnover, 799
Parkinson's disease, 799
postsynaptic receptor sites, 657
striatum, 799
Miniature radio circuit
AM transmitter, 443
electronic brain stimulation, 443
radio-monitor, 443
Molecular layer
astrocytes, 35
distribution of glial cells in the dentate gyrus, 35
Monoaminergic nerve terminals
audioradiography, 99
degeneration method, 99
electron microscopy, 99

fluorescence histochemistry, 99
immunocytochemistry, 99
retrograde tracing methods, 99
Monoamines
cerebral cortex, 849
cingulate cortex, 849
dopamine, 849
dopamine-β-hydroxylase, 849
locus coeruleus, 849
norepinephrine, 849
immunohistochemistry, 849
Monosynaptic excitation
antidromic unit, 223
frontal cortex, 223
monosynaptic facilitory pathway, 223
ventromedial hypothalamus, 223
Monosynaptic facilitory pathway
antidromic unit, 223
frontal cortex, 223
monosynaptic excitation, 223
ventromedial hypothalamus, 223
Morphine
behavior, 307
DNA, 615
dopamine, 307
epileptiform activity, 609
glial cells, 615
hippocampal cells, 609
intracellular effects, 609
locus coeruleus, 307
naloxone, 307, 615
norepinephrine, 307
striatum, 615
subependymal cells, 615
substantia nigra, 307
^{3}H-thymidine, 615
Morphological evidence
cat EEG, 431
feline SMR, 431
human mu rhythm, 431
Morphology
cerebellum, 313
graft-versus-host-disease, 313
Motility
ethanol elicited responses, 603
taurine, 603
taurine analogues, 603
Motor activity
drinking, 643
eating, 643
5-hydroxytryptamine, 643
median raphe nucleus, 643
pontine gigantocellular field, 663
reticular formation, 663
wheel running activity, 643
Motor cortex
intracellularly studied excitability changes in coronal-pericruciate neurons, 635
low frequency stimulation of the corticobulbar tract, 635
Movement parameters
parametric changes, 249
pyrimidal tract neurons, 249
single-step visual tracking, 249
α-MSH
brain, 809
cerebrospinal fluid, 213
hypothalamus, 535, 809
identification and distribution of α-melanotropin, 809
immunoreactivity, 535
neuronal peptide, 535
neuropeptide, 809
pituitary α-MSH secretion, 213
subcellular fractionation, 535
synaptosomes, 535
Multi-barrier
gramicidin, 145
model for the electrical behavior of single filing channels, 145
Multi-ion pores
K channels in excitable cells, 159
Multilayered structure
squid axon membrane revealed by conductance measurements, 193
Multi-occupancy
gramicidin, 145
model for the electrical behavior of single filing channels, 145
Multisensory system
association cortex, 539
cryogenic blockade, 539
n. ventralis posterolateralis, 539
sensory evoked potentials, 539
thalamus, 539
Multi-site
gramicidin, 145
model for the electrical behavior of single filing channels, 145
Multiunit activity
mesencephalic reticular formation, 715
septal area, 715
wakefulness and sleep cycle, 715
Muscle and nerve
sodium channels, 181

Naloxone
behavior, 307
DNA, 615
dopamine, 307
hibernation, 721
glial, 615
locus coeruleus, 307
morphine, 307, 615
norepinephrine, 307
opioid peptides, 721
opioid withdrawal syndrome, 721
striatum, 615
subependymal cells, 615
substantia nigra, 307
^{3}H-thymidine, 615
Neocortex
amygdala, 1
p-chlorophenylalanine, 1
kindling, 1
raphe nucleus, 1
serotonin, 1
Neonatal malnutrition
brain, 207
leucine renewal, 207
neuronal amino acids, 207
neurons, 207
protein biosynthesis, 207
Nerve regeneration
reversible effects of olfactory nerve section on behavior and biochemistry in mice, 17
Neural degeneration
estradiol benzoate, 423
hypothalamus, 423
lordosis, 423
progesterone, 423
sex behavior, 423
Neural inputs
horseradish peroxidase, 347
prefrontal agranular insular cortex, 347
Neurofibrillary tangles
neuronal RNA content, 301
senile dementia, 301
subiculum, 301
Neuromuscular junction
acetylcholine, 669
calcium, 669

ionophore, 669
ruthenium red, 669
Neuron replacement
reversible effects of olfactory nerve section on behavior and biochemistry in mice, 17
Neuronal amino acids
brain, 207
leucine renewal, 207
neonatal malnutrition, 207
neurons, 207
protein biosynthesis, 207
Neuronal membrane
calcium channel, 148
conductive properties, 148
Neuronal peptide
hypothalamus, 535
immunoreactivity, 535
α-MSH, 535
subcellular fractionation, 535
synaptosomes, 535
Neuronal RNA content
neurofibrillary tangles, 301
senile dementia, 301
subiculum, 301
Neurons
area 17 and 18, 319
brain, 207
leucine renewal, 207
neonatal malnutrition, 207
neuronal amino acids, 207
peristriate cortex, 319
protein biosynthesis, 207
receptive fields, 319
vision, 319
visual cortex, 319
Neuropeptide
brain, 829
hypothalamus, 829
identification and distribution, 829
α-MSH, 829
melanotropin, 829
Neurophysiology
aging, 757
electrically quiet temperature controller, 135
hippocampus, 757
quantification of synaptic vesicles, 757
Neurotropic substances
chronic neuron recording, 863
microinjections, 863
single unit activity, 863
Neurotensin
immunoreactive, 57
radioimmunoassay, 57
regional distribution, 57
Neurotransmitter receptors
interchangeable association with several ionophores, 149
Neurotransmitters
amino acids, 747
brain resistance, 747
restricted protein, 747
Norepinephrine
amine storage mechanisms, 217
behavior, 307
biochemistry, 593
brainstem, 239
cerebral cortex, 849
cingulate cortex, 849
distribution in cerebral cortex, 593
dopamine, 217, 239, 307, 849
dopamine-β-hydroxylase, 849
hippocampus, 239
hypothalamus, 239
immunohistochemistry, 849
locus coeruleus, 217, 307, 849
morphine, 307
naloxone, 307
role of limbic system in the control of growth, 239
serotonin, 239
substantia nigra, 217, 307
topography, 593
NREM sleep
fluoxetine, 731
5-HIAA, 731
5-HT, 731
5-HTP, 731
methergoline, 731
pineal vasotocin, 731
REM sleep, 731
third ventricle, 731
5-Nucleotidase
alkaline phosphatase, 467
histoenzymological mapping, 467
medulla oblongata, 467
Nucleus accumbens
early electrical stimulation, 459
learning, 459
Nucleus locus coeruleus
early electrical stimulation, 459
learning, 459
Nucleus tractus solitarius
across-neuron patterns, 359
conditioned taste aversion, 359
gustatory similarity, 359
hamster taste profile, 359
parabrachial pons, 359
taste quality coding, 359
N. ventralis posterolateralis
association cortex, 539
cryogenic blockade, 539
multisensory system, 539
sensory evoked potentials, 539
thalamus, 539

Obesity
calcitonin, 589
immunoreactivity, 589
pituitary gland, 589
thyroid gland, 589
Olfactory brain, s1
Olfactory bulbs
gonadotropic activity, 339
photoperiodism, 339
thyrotropic activity, 339
Olfactory lobe, s1
Olfactory-mediated behavior
reversible effects of olfactory nerve section on behavior and biochemistry in mice, 17
Olfactory nerve section
biochemistry, 17
carnosine, 17
nerve regeneration, 17
neuron replacement, 17
olfactory-mediated behaviors, 17
Olfactory system, s1
Onchidium neuron
effects of dimethyldietholammonium on the ionic permeability of chemically modulated channels, 173
frog endplate, 173
GABA receptors, 178
ionic channels, 178
Ontogeny
action potentials, 773
extracellular single unit recording, 773
hypertonic solution injections, 773
lateral preoptic unit activity, 773
osmotic stimulation, 773
pain stimulation, 773

Opiate peptides
hibernation, 721
naloxone, 721
opioid withdrawal syndrome, 721
Opioid withdrawal syndrome
hibernation, 721
naloxone, 721
opioid peptides, 721
Optic nerve
latency distribution, 579
lateral geniculate, 579
orthodromic stimulation, 579
superior colliculus, 579
Orthodromic stimulation
latency distribution, 579
lateral geniculate, 579
optic nerve, 579
superior colliculus, 579
Osmotic stimulation
action potentials, 773
extracellular single unit recording, 773
hypertonic solution injections, 773
ontogeny of lateral preoptic unit activity, 773
pain stimulation, 773
Ovarian hormones
effects on levels of luteinizing hormone in plasma, 571
effects on serotonin concentration, 571
estradiol, 571
progesterone, 571

Pain stimulation
action potentials, 773
extracellular single unit recording, 773
hypertonic solution injections, 773
ontogeny of lateral preoptic unit activity, 773
osmotic stimulation, 773
^{14}C-palmitate
brain metabolism, 333
cerebrospinal fluid, 333
hypoglycemia, 333
insulin, 333
lipids, 333
Parabrachial pons
across-neuron patterns, 359
conditioned taste aversion, 359
gustatory similarity, 359
hamster taste profile, 359
nucleus tractus solitarius, 359
taste quality coding, 359
Parametric changes
movement parameters, 249
pyrimidal tract neurons, 249
single-step visual tracking, 249
Parapodial movement
aplysia, 407
interganglionic synaptic connections, 407
locomotion, 407
pedal movement, 407
pleural neurons, 407
Parkinson's disease
dopamine turnover, 799
MIF-I, 799
striatum, 799
Photoperiodism
gonadotropic activity, 339
olfactory bulbs, 339
thyrotropic activity, 339
Physicochemical aspects
chemoreceptive membranes, 166
Pigment
brain melanin, 793
DOPA, 793
MSH, 793

Pineal gland
antiserum, 789
arginine vasotocin, 789
mammal, 789
radioimmunoassay, 789
Pineal vasotocin
fluoxetine, 731
5-HIAA, 731
5-HT, 731
5-HTP, 731
methergoline, 731
NREM sleep, 731
REM sleep, 731
third ventricle, 731
Pituitary gland
calcitonin, 589
immunoreactivity, 589
obesity, 589
thyroid gland, 589
Pituitary α-MSH secretion
cerebrospinal fluid, 213
α-MSH levels, 213
Pleural neurons
aplysia, 393, 407
central nervous system, 393
ganglionic synaptic connection, 393
interganglionic synaptic connections, 407
locomotion, 393, 407
parapodial movement, 407
pedal movement, 407
polysynaptic pathway, 393
Polysynaptic pathway
aplysia, 393
central nervous system, 393
ganglionic synaptic connection, 393
locomotion, 393
pleural neurons, 393
Pontine gigantocellular field (FTG)
motor activity, 663
reticular formation, 663
Pore size
analysis of an electrically inexcitable membrane, 153
Postsynaptic current
crayfish muscle, 189
inhibitory, 189
Postsynaptic receptor sites
adenylate cyclase, 657
dopamine, 657
MIF-I, 657
Potassium channels
aplysia S and F cells, 162
4-AP, 162
TEA, 162
Pedal movement
aplysia, 407
interganglionic synaptic connections, 407
locomotion, 407
parapodial movement, 407
pleural neurons, 407
Penile reflexes
bed nucleus of the stria terminalis, 131
copulatory behavior, 131
Peptide metabolism
brain dipeptidase, 49
distribution and role of glycyl-glycine hydrolase in cleavage of glycine-rich oligopeptides, 49
Peripheral nerves
bipolar electrical stimulation, 421
stimulating electrode, 421
Peristriate cortex
neurons in area 17 and 18, 319
receptive fields, 319
vision, 319
visual cortex, 319

Prefrontal cortex
agranular, 347
horseradish peroxidase, 347
insular, 347
neural inputs, 347
Preoptic/anterior hypothalamus
antipyretics, 23
central pyrogens, 23
central thermosensitivity, 23
fever, 23
Preoptic area
anisomycin, 741
anterior hypothalamus, 741
fever, 741
hypothalamic temperature mechanism, 741
protein factor, 741
pyrogen infusion, 741
thermoregulation, 741
Progesterone
effect on levels of LH in plasma, 571
effect on serotonin concentration, 571
estradiol benzoate, 423
hypothalamus, 423
lordosis, 423
neural degeneration, 423
sex behavior, 423
Programmed conductance clamp
Limulus, 819
receptor current, 819
receptor potential, 819
voltage clamp, 819
Prostacyclin
arachidonic acid, 15
hyperthermia, 15
indomethacin, 15
prostaglandin E_2, 15
Prostaglandin E_2
arachidonic acid, 15
hyperthermia, 15
indomethacin, 15
prostacyclin, 15
Protein biosynthesis
brain, 207
leucine renewal, 207
neonatal malnutrition, 207
neuronal amino acids, 207
neurons, 207
Protein factor
anisomycin, 741
anterior hypothalamus, 741
fever, 741
hypothalamic temperature mechanism, 741
preoptic area, 741
pyrogen infusion, 741
thermoregulation, 741
Psychogenetics
hypothalamus, 553
reward/aversion, 553
RHA/RLA-rats, 553
self-stimulation, 553
Pulvinar nuclei
cortex, 327
evoked potentials, 327
lateral geniculate, 327
receptive fields, 327
superior colliculus, 327
temporal cortex, 327
vision, 327
Pyrimidal tract neurons
movement parameters, 249
parametric changes, 249
single-step visual tracking, 249
Pyrogen infusion
anisomycin, 731
anterior hypothalamus, 731
fever, 731
hypothalamic temperature mechanism, 731
preoptic area, 731
protein factor, 731
thermoregulation, 731

Quantification
aging, 757
hippocampus, 757
neurophysiology, 757
synaptic vesicles, 757
Quantitative electron microscopy
dendritic deafferentiation, 843
interpeduncular nucleus, 843
somatic synapse sprouting, 843
synaptic plasticity, 843

Radioimmunoassay
antiserum, 789
arginine vasotocin, 789
mammalian pineal gland, 789
regional distribution of immunoreactive neurotensin, 57
Radio-monitor
AM transmitter, 443
electronic brain stimulation, 443
Raphe efferents
horseradish peroxidase, 519
locus coeruleus afferents, 519
locus coeruleus-raphe interactions, 519
retrograde transport, 519
serotonergic innervation, 519
Raphe neurons
electrical stimulation, 561
lateral reticular formation, 561
single unit activity, 561
substantia nigra, 561
Raphe nucleus
amygdala, 1
p-chlorophenylalanine, 1
kindling, 1
neocortex, 1
serotonin, 1
Reactivity
sleep, 731
somesthetic s1 cortex, 731
waking, 731
Receptive fields
cortex, 327
evoked potentials, 327
lateral geniculate, 327
neurons in area 17 and 18, 319
peristriate cortex, 319
pulvinar nuclei, 327
superior colliculus, 327
temporal cortex, 327
vision, 319, 327
visual cortex, 319
Receptor current
Limulus, 819
programmed conductance clamp, 819
receptor potential, 819
voltage clamp, 819
Receptor potential
calcium, 809
chlorobutanol, 803
latent period, 803
Limulus, 803, 809, 819
programmed conductance clamp, 819
receptor current, 819
retinular cell, 809
sodium, 809

ventral photoreceptor, 803, 809
verapamil, 809
voltage clamp, 819
Recovery cycles of visual evoked potentials
evoked potential correlates, 447
exploratory behavior, 447
inter-individual differences, 447
Regional distribution
immunoreactive neurotensin, 57
radioimmunoassay, 57
REM sleep
fluoxetine, 731
5-HIAA, 731
5-HT, 731
5-HTP, 731
methergoline, 731
NREM sleep, 731
pineal vasotocin, 731
third ventricle, 731
Restricted protein
amino acids, 747
brain resistance, 747
neurotransmitters, 747
Reticular formation
motor activity, 663
pontine gigantocellular field, 663
Retinal circulation
modification of a Kowa RC-2 fundus camera for self-photography without the use of mydriatics, 123
Retinular cell
calcium, 809
Limulus, 809
receptor potential, 809
sodium, 809
ventral photoreceptor, 809
verapamil, 809
Retrochiasmatic area
afferent connections, 765
brain stem, 765
HRP, 765
hypothalamus, 765
visual system, 765
Retrograde tracing methods
light and electron microscope identification of monoaminergic terminals in the CNS, 99
Retrograde transport
horseradish peroxidase, 519
locus coeruleus afferents, 519
locus coeruleus-raphe interactions, 519
raphe efferents, 519
serotonergic innervation, 519
Reward/aversion
hypothalamus, 553
psychogenetics, 553
RHA/RLA-rats, 553
self-stimulation, 553
RHA/RLA-rats
hypothalamus, 553
psychogenetics, 553
reward/aversion, 553
self-stimulation, 553
Rhinencephalon, s1
Rhinic lobe, s1
Ruthenium red
acetylcholine, 669
calcium, 669
ionophore, 669
neuromuscular junction, 669

Seizure activity
EEG recording, 283
electrical stimulation, 283

Self photography
modification of a Kowa RC-2 fundus camera for self-photography without the use of mydriatics, 123
Self-stimulation
afferent projections, 497
dorsal pons, 497
horseradish peroxidase, 497
hypothalamus, 553
locus coeruleus, 497
psychogenetics, 553
reward/aversion, 553
RHA/RLA-rats, 553
Senile dementia
neurofibrillary tangles, 301
neuronal RNA content, 301
subiculum, 301
Sensory evoked potentials
association cortex, 539
cryogenic blockade, 539
multisensory system, 539
n. ventralis posterolateralis, 539
thalamus, 539
Sensory-evoked unit responses
caudate nucleus, 9
effects of stimulation of trigeminal sensory afferents, 9
Sensory input control
auditory efferent system, 621
auditory nerve, 621
cerebellum, 621
cochlear microphonics, 621
Sensory responsiveness
mapping, 483
septal area, 483
single unit recording, 483
Sensory responses
influence of thalamic cooling in association cortex, 91
thalamo-cortical nonspecific system, 91
Septal area
mapping, 483
mesencephalic reticular formation, 715
multiunit activity, 715
sensory responsiveness, 483
single unit recording, 483
wakefulness and sleep cycle, 715
Septal destruction
body weight, 373
cellular dehydration, 373
drinking, 373
eating, 373
hyperdipsia, 373
hypovolemia, 373
urine output, 373
Septal lesions
dopamine, 85
estrogen, 85
GABA, 85
lordosis, 85
Serotonergic innervation
horseradish peroxidase, 519
locus coeruleus afferents, 519
locus coeruleus-raphe interactions, 519
raphe efferents, 519
retrograde transport, 519
Serotonin
amygdala, 1
brain areas, 567
brainstem, 239
p-chlorophenylalanine, 1
dopamine, 239
effects of ovarian hormone on concentration, 571
electrochemical detection, 567
estradiol, 571
high pressure liquid chromatography, 567
hippocampus, 239

hypothalamus, 239
kindling, 1
luteinizing hormone, 571
neocortex, 1
norepinephrine, 239
picogram levels, 567
progesterone, 571
raphe lesions, 1
role of limbic system in the control of growth, 239
Sexual behavior
estradiol benzoate, 423
estrogen-primed ovariectomized, 203
hypothalamus, 423
lordosis, 203, 423
luteinizing hormone-releasing hormone, 203
midbrain central gray, 203
neural degeneration, 423
progesterone, 423
Sexual receptivity
agonistic behavior, 833
body weight, 833
estrogen, 833
medial forebrain bundle, 833
supraoptic commissures, 833
VMH, 833
Single filing channels
electrical behavior, 145
gramicidin, 145
multi-barrier, 145
multi-occupancy, 145
multi-site, 145
Single neuronal activity
drinking, 381
eating, 381
gastric distension, 381
lateral hypothalamus, 381
lateral preoptic area, 381
medial forebrain bundle, 381
vagus nerve, 381
Single-step visual tracking
movement parameters, 249
parametric changes, 249
pyrimidal tract neurons, 249
Single unit activity
chronic neuron recording, 863
drinking, 267
electrical stimulation, 561
gastric distension, 267
gastric water infusion, 267
lateral hypothalamus, 267
lateral preoptic area, 267
lateral reticular formation, 561
medial forebrain bundle, 267
microinjections, 863
neurotropic substances, 863
raphe neurons, 561
substantia nigra, 561
water deprivation, 267
Single unit recording
mapping, 483
sensory responsiveness, 483
septal area, 483
Sleep
reactivity of the somesthetic, s1
cortex, 731
waking, 731
Small animal brains
simple apparatus for blocking, 439
Smell brain, s1
Sodium
calcium, 809
Limulus, 809
receptor potential, 809
retinular cell, 809
ventral photoreceptor, 809
verapamil, 809
Sodium appetite
deposit-free electrolytic lesions, 675
thalamus, 675
Sodium channels
muscle and nerve, 181
Sodium consumption
anteroventral third ventricle, 287
electrolyte regulation, 287
Somatic synapse sprouting
dendritic deafferentiation, 843
interpeduncular nucleus, 843
quantitative electron microscopy, 843
synaptic plasticity, 843
Somesthetic s1 cortex
reactivity, 731
sleep, 731
waking, 731
Spike
intracellular Ca induced spike in internally perfused squid axon, 195
Spike analyser
amplitude and fall-time discrimination of unit spike activity using TTL, 135
window discriminator, 135
Spinal trigeminal nucleus
feedback loop, 75
locus coeruleus, 75
tooth pulp stimulation, 75
Spontaneous neuronal activity
evoked neuronal activity, 721
melatonin, 725
mesencephalic reticular formation, 721
Squid axon membrane
multilayered structure revealed by conductance measurements, 193
Squid giant axon
chemical and electrical receptors on the surface, 190
chemical modification of membrane proteins, 196
intracellular Ca induced spike, 195
physiological role of histidine residues in the inner surface membrane, 187
Starfish egg
properties of membrane channels for the anomalous rectification in starfish eggs, 159
Stereotaxy
self-centering head holder, 141
Stimulating electrode
bipolar electrical stimulation, 421
peripheral nerves, 421
Stria terminalis
bed nucleus, 131
copulatory behavior, 131
penile reflexes, 131
Striatum
caudate-putamen complex, 651
2-deoxy-D-glucose, 651
DNA, 615
dopamine, 651
dopamine turnover, 799
eating, 651
glial cells, 615
glucose, 651
insulin, 651
MIF-I, 799
morphine, 615
naloxone, 615
Parkinson's disease, 799
subependymal cells, 615
^{3}H-thymidine, 615
Subcellular fractionation
hypothalamus, 535
immunoreactivity, 535

α-MSH, 535
neuronal peptide, 535
synaptosomes, 535
Subependymal cells
DNA, 615
glial cells, 615
morphine, 615
naloxone, 615
striatum, 615
^{3}H-thymidine, 615
Subiculum
neurofibrillary tangles, 301
neuronal RNA content, 301
senile dementia, 301
subiculum, s1
Substantia nigra
amine storage mechanisms, 217
amphetamine-induced turning behavior, 43, 307
ascorbic acid, 43
dopamine, 43, 217, 307
early electrical stimulation, 459
electrical stimulation, 561
lateral reticular formation, 561
learning, 459
locus coeruleus, 217, 307
morphine, 307
naloxone, 307
norepinephrine, 217, 307
raphe neuron, 561
single unit activity, 561
Superior cerebellar peduncle
brain stimulation, 549
cerebellum, 549
eating, 549
fastigial nucleus, 549
grooming, 549
Superior colliculus
cortex, 327
evoked potential, 327
latency distribution, 579
lateral geniculate, 327, 579
optic nerve, 579
orthodromic stimulation, 579
pulvinar nuclei, 327
receptive fields, 327
temporal cortex, 327
vision, 327
Suprachiasmatic nucleus lesions
gonadotropin secretion, 783
hypothalamus, 783
LH-releasing hormone, 783
Supraoptic commissures
agonistic behavior, 833
body weight, 833
estrogen, 833
medial forebrain bundle, 833
sexual receptivity, 833
VMH, 833
Synaptic blockade
cryoprobe, 119
isotherm, 119
thalamus, 119
Synaptic delay
a model for synaptic transmission, 170
mathematical model, 170
Synaptic plasticity
dendritic deafferentiation, 843
interpeduncular nucleus, 843
quantitative electron microscopy, 843
somatic synapse sprouting, 843
Synaptic transmission
a model, 170
synaptic delay, 170
mathematical model, 170
Synaptic vesicles
aging, 757
hippocampus, 757
neurophysiology, 757
quantification, 757
Synaptosomes
hypothalamus, 535
immunoreactivity, 535
α-MSH, 535
neuronal peptide, 535
subcellular fractionation, 535

Taste quality coding
across-neuron patterns, 359
conditioned taste aversion, 359
gustatory similarity, 359
hamster taste profile, 359
nucleus tractus solitarius, 359
parabrachial pons, 359
Taurine
ethanol elicited responses, 603
motility, 603
taurine analogues, 603
Taurine analogs
ethanol elicited responses, 603
motility, 603
taurine, 603
TEA
aplysia S and F cells, 162
potassium and calcium channels, 162
Teleosts
cerebellum, 859
choline acetyltransferase activity, 859
cholinergic circuits, 859
lateral line system, 859
Temperature controller
electrically quiet, 139
neurophysiology, 139
Temperature regulation
cold stress, 355
cycloheximide, 355
Temporal cortex
cortex, 327
evoked potentials, 327
lateral geniculate, 327
pulvinar nuclei, 327
receptive fields, 327
superior colliculus, 327
vision, 327
Thermoregulation
anisomycin, 741
anterior hypothalamus, 741
fever, 741
hypothalamic temperature mechanism, 741
preoptic area, 741
protein factor, 741
pyrogen infusion, 741
Third ventricle
fluoxetine, 731
5-HIAA, 731
5-HT, 731
5-HTP, 731
methergoline, 731
NREM sleep, 731
pineal gland, 731
REM sleep, 731
Thalamic cooling
influence on sensory responses in association cortex, 91
thalamo-cortical nonspecific system, 91
Thalamo-cortical nonspecific system
influence of thalamic cooling on sensory responses in association cortex, 91

Thalamus
association cortex, 539
cryogenic blockade, 539
cryoprobe, 119
deposit-free electrolytic lesions, 675
isotherm, 119
multisensory system, 539
n. ventralis posterolateralis, 539
sensory evoked potentials, 539
sodium appetite, 675
synaptic blockade, 119
^{3}H-thymidine
DNA, 615
glial cells, 615
morphine, 615
naloxone, 615
striatum, 615
subependymal cells, 615
Thyroid gland
calcitonin, 589
immunoreactivity, 589
obesity, 589
pituitary gland, 589
Thyrotropic activity
gonadotropic activity, 339
photoperiodism, 339
thyrotropic activity, 339
Tip size adjustment
extracellular unit recording, 291
micropipette technique, 291
Tooth pulp stimulation
feedback loop between locus coeruleus and spinal trigeminal nucleus, 75
Toothed whales, s1
Topography
biochemistry, 593
distribution of norepinephrine and dopamine in cerebral cortical areas, 593
Transport inhibition
antipyretics, 297
fever: central mechanisms, 297
leukocytic pyrogens, 297
transport systems, 297
Transport system
antipyretics, 297
fever: central mechanisms, 297
leukocytic pyrogens, 297
transport inhibition, 297
Trigeminal system
caudate nucleus, 9
effects of stimulation, 9
sensory-evoked unit responses, 9
TTL
amplitude and fall-time discrimination of unit spike activity using TTL, 135
spike analyser, 135
window discriminator, 135
Turning behavior
amphetamine-induced, 43
ascorbic acid, 43
dopamine, 43
substantia nigra, 43
Tursiops truncatus, s1

Unit responses
duodenal distension, 259
gastric distension, 259
gastrointestinal receptors, 259
eating regulation, 259
lateral hypothalamus, 259
ventromedial hypothalamus, 259
Unit spike activity
amplitude and fall-time discrimination, 135
spike analyser, 135
TTL, 135
window discriminator, 135
Urine output
body weight, 373
cellular dehydration, 373
drinking, 373
eating, 373
hyperdipsia, 373
hypovolemia, 373
septal destruction, 373

Vagus nerve
drinking, 381
eating, 381
gastric distension, 381
lateral hypothalamus, 381
lateral preoptic area, 381
medial forebrain bundle, 381
single neuronal activity, 381
Vasopressin
ACTH, 615
attention, 615
avoidance behavior, 615
fornix transection, 615
memory, 615
Ventral photoreceptor
calcium, 809
chlorobutanol, 803
latent period, 803
Limulus, 803, 809
receptor potential, 803, 809
retinular cell, 809
sodium, 809
verapamil, 809
Ventromedial hypothalamus
antidromic unit, 223
duodenal distension, 259
eating regulation, 259
frontal cortex, 223, 231
gastric distension, 259
gastrointestinal receptors, 259
glycine, 231
inhibitory pathway, 231
lateral hypothalamus, 259
monosynaptic excitation, 223
monosynaptic facilitory pathway, 223
unit responses, 259
Verapamil
calcium, 809
Limulus, 809
receptor potential, 809
retinular cell, 809
sodium, 809
ventral photoreceptor, 809
Vision
cortex, 327
evoked potentials, 327
lateral geniculate, 327
neurons in area 17 and 18, 319
peristriate cortex, 319
pulvinar nuclei, 327
receptive fields, 319, 327
superior colliculus, 327
temporal cortex, 327
visual cortex, 319
Visual cortex
neurons in area 17 and 18, 319
peristriate cortex, 319
receptive fields, 319
vision, 319
Visual system

afferent connections, 765
brain stem, 765
HRP, 765
hypothalamus, 765
retrochiasmatic area, 765
VMH
agonistic behavior, 833
body weight, 833
estrogen, 833
medial forebrain bundle, 833
sexual receptivity, 833
supraoptic commissures, 833
Voltage clamp
Limulus, 819
programmed conductance clamp, 819
receptor current, 819
receptor potential, 819

Wakefulness and sleep cycle
mesencephalic reticular formation, 715
multiunit activity, 715
septal area, 715

Waking
reactivity of the somesthetic s1 cortex, 731
sleep, 731
Water deprivation
drinking, 267
gastric distension, 267
gastric water infusion, 267
lateral hypothalamus, 267
lateral preoptic area, 267
medial forebrain bundle, 267
single unit activity, 267
Whale brain, s1
Wheel running activity
drinking, 643
eating, 643
5-hydroxytryptamine, 643
median raphe nucleus, 643
motor activity, 643
Window discriminator
amplitude and fall-time discrimination of unit spike activity using TTL, 135
spike analyser, 135

AUTHOR INDEX

ADAMS, P. R., 147
AGUILAR-BATURONI, H. U., 381, 421
AKAIKE, N., 148
ALMLI, C. R., 267, 373, 773
ARNAUD, C., 735
AVITABLE, M. J., 9, 443

BAILEY, P. F., 123
BARNEY, C. C., 355
BARONE, F. C., 267, 381, 421
BEALER, S. L., 287
BENDRUPS, A. P., 867
BERNTSON, G. G., 549
BLUM, P. S., 327
BORER, K. T., 239
BOUMAN, H. J., 575
BREEDLOVE, S. M., 663
BRODIE, H. A., 439
BROEKKAMP, C. L. E., 307
BRONZINO, J. D., 561
BROWN, A. M., 148
BROWNSTEIN, M. J., 593
BYMASTER, F., 657

CARDO, B., 459
CARPENTER, D. O., 149
CHIU, A., 567
CHRONISTER, R. B., 747
CLARK, W. G., 15
CLAVIER, R. M., 347, 497
CONTESTABILE, A., 859
COOLS, A. R., 307
COOPER, C. W., 589
COSCINA, D. V., 1, 567
COWAN, W. M., 35
COY, D. H., 657
COYLE, J. T., 849
CRISPINO, L., 621
CRISTINI, G., 859
CROISET, G., 625
CROWLEY, W. R., 571

DAOOD, J. T., 833
DEADWYLER, S. A., 609, 615
DE ROTTE, A. A., 213
DODGE, C., 615

EDWARDS, C., 145, 153
EGGERT, M. W., JR., 793
EISENMAN, G., 154
ENOMOTO, K., 173
ENOS, B., 154

FAHY, J. L., 803, 809, 819
FEKETE, M. I. K., 593
FINCK, A., 721
FLYNN, J. J., 589
FREDMAN, S. M., 393, 407
FREGLY, M. J., 355
FRITSCHKA, E., 333
FROHMAN, L. A., 57
FUKUSHIMA, H., 799
FULLER, R. W., 799

GANDOLFO, G., 735
GEAN, J. T., 297, 631
GERFEN, C. R., 347
GERMAN, D. C., 217
GLADFELTER, W. E., 643
GODSE, D. D., 567
GOLDMAN, B., 721
GORDON, C. J., 863
GORDON, J. H., 61, 85
GORSKI, R. A., 61, 69, 85
GOTTESMANN, C., 735
GRIFFIN, W. S. T., 313
GRZANNA, R., 849
GUEVARA-AGUILAR, R., 381, 421
GUTSTEIN, W. H., 443

HAFIZA, B., 467
HÄGGLUND, J., 154
HAGIWARA, S., 159
HALL, R. D., 293, 675
HAMADA, I., 249
HAMILL, G., 843
HARDIN, J. C., 657
HARDING, J. W., 17
HARRISON, G., 123
HARRISON, J. E., 443
HARRISON-READ, P. E., 447
HARSTON, C. T., 799
HARTMANN, H. A., 301
HEAD, J. R., 313
HEATH, J. E., 863
HENČEK, M., 199
HERMAN, J. P., 593
HERMANSEN, J. E., 283
HEYM, J., 643
HIDDEN, N., 135
HILLE, B., 159
HOFFMAN, S. A., 439
HORI, H., 196
HORIE, H., 187, 196
HORRELL, R. I., 259
HUMPHREY, G. L., 871
HUXTABLE, R. J., 283

IGARASHI, S., 75
INOMATA, K., 187, 196
INOUE, H., 187, 196

JACOBOWITZ, D. M., 571, 829
JACOBS, M. S., s1, 519
JAHAN-PARWAR, B., 393, 407
JOHNSON, A., 561
JOHNSON, A. K., 287

KANYICSKA, B., 593
KAPLAN, B. J., 431
KASTIN, A. J., 657, 793, 799
KATAOKA, K., 57
KATO, M., 178
KATOVICH, M. J., 355
KATZ, Y. 339
KAUFMANN, P. G., 319, 327
KENNEDY, J. I., 23
KISER, R. S., 217
KISHI, K., 35
KLEE, M. R., 162
KOBATAKE, Y., 166
KORÁNYI, L., 715
KOSTEN, T., 675
KOSTRZEWA, R. M., 657, 799
KOSTYUK, P. G., 169
KRISHTAL, O. A., 169
KUBOTA, K., 249
KUHN, J. A., 669
KUHNS, L. R., 239
KUNZE, W. A. A., 867
KUZEMCHAK, B., 793
KWIATKOWSKI, M., 789

LABUSZWESKI, T., 9
LACHAPELLE, P., 579
LAIRD, H. E., 283
LANDFIELD, P. W., 757
L'ARCHEVEQUE, P., 579
LEE, K. S., 148
LENN, N. J., 848
LERANTH, C., 99
LESSARD, I., 579
LIDSKY, T. I., 9
LINDSEY, J. D., 757
LIPP, H. P., 553
LIPTON, J. M., 15, 23, 297, 631
LISSÁK, K., 715
LLINAS, R., 170
LONGENECKER, H. E., JR., 747
LYNCH, G. S., 615
McCALEB, M. L., 651
McCANN, S. M., 783
McFARLAND, W. L., s1
McGINTY, D. J., 663
McKENZIE, J. S., 867
McMULLEN, N. T., 373, 773

MADDISON, S., 259
MAENO, T., 173
MALSBURY, C. W., 833
MARCHAND, E. R., 141
MARGULES, D. L., 589, 721
MARKS, N., 49
MARQUES, D. M., 833
MARUHASHI, J., 178, 184
MASSARI, V. J., 829
MERCER, L. F., JR., 483
MERCER, L. P., 747
MESSIHA, F. S., 603
MESSING, R. B., 615
MIDDAUGH, L. D., 43
MIGANI, P., 859
MILES, T. S., 291
MIZUNO, N., 57
MOLLIVER, M. E., 849
MOLOTCHNIKOFF, S., 579
MORAES E SANTOS, T., 207
MORGANE, P. J., s1, 519, 561
MORRISON, J. H., 849
MOSS, R. L., 203
MUELLER, P., 176
MUELLER, W. J., 819

Numbers preceded by the letter s indicate authors of *The Anatomy of the Brain of the Bottlenose Dolphin* . . . Suppl., Vol. 4, 1979.

MUTH, E. A., 571
MYERS, R. D., 651, 741
NAGANO, M., 193
NANCE, D. M., 61, 69, 85, 423
NEGRO-VILAR, A., 789

O'BOYLE, D. J., 135
O'BRIEN, J. H., 91, 119, 539
O'DONOHUE, T. L., 571, 829
OHTA, M., 223, 231
OISHI, R., 491
OOMURA, Y., 145, 178, 223, 231
ORMAN, S. S., 871

PACHECO, M. F. C., 313
PALKOVITS, M., 99, 593
PARKER, C. R., JR., 535
PAULUCCI, T. S., 549
PASQUIER, D. A., 765
PAVEL, S., 731
PAZO, J. H., 725
PERRY, G. W., 285
PERRY, K. W., 799
PERSON, R. J., 669
PHELPS, C. P., 423
PHILPOTT, D. E., 123
PIDOPLICHKO, V. I., 169
PORTER, J. C., 535
PSATTA, D. M., 475

QUABBE, H.-J., 333
QUINN, K. J., 119, 539

RACINE, R., 1
REBERT, R. R., 747
REMLEY, N. R., 483
RICHARD, D., 579
RILEY, J. N., 127, 141
RISKIND, P., 203
RITCHIE, J. M., 181
ROBINSON, J. H., 9, 609
ROBINZON, B., 339
ROBJOHNS, S. L., 291
RODRIQUEZ-SIERRA, J. F., 513
ROGERS, J. G., JR., 339
ROSE, J. D., 435
ROSENBLUM, S. M., 91
RUWE, W. D., 741

SACHS, B. D., 131
SAMSON, W. K., 783, 789
SANCHEZ-FRANCO, F., 789
SANGHERA, M. K., 217
SANTOS, R. C., 207
SASA, M., 75
SATO, M., 184
SAWADA, M., 173
SCHALLY, A. V., 793
SCHUILING, G. A., 625
SCHULKIN, J., 675
SCHWARZ, W., 159
SHAHID SALLES, M. S., 643
SHAKHOVALOV, YU. A., 169
SHIMIZU, N., 178
SHORE, P. A., 217
SHUCARD, D. W., 439
SHUGALEV, N. P., 475
SIEGEL, J. M., 663
SMITH, D. V., 359
SNELL, R. L., 657
SOMJEN, G. G., 319, 327
SOOD, P. P., 467
SPITZER, J. J., 333
STANFIELD, B. B., 35
STEINBERG, I. Z., 170
STERN, F., 49
STERN, W. C., 561

TAKAHASHI, K., 186
TAKAORI, S., 75
TAKENAKA, T., 187, 196
TAKEUCHI, A., 189
TAMÁSY, V., 715
TASAKI, I., 190
TERASAWA, E., 513
THODY, A. J., 213
THOMAS, T. N., 43
TICKNOR, C. B., 297
TIZABI, Y., 829
TOLBERT, L. C., 43
TRAMEZZANI, J. H., 765
TRAVERS, J. B., 359
TRULSON, M. E., 239
TURNBILL, C., 123
TZEBELIKOS, E., 635

UEKI, S., 491
UEMURA, E., 301

VALCOURT, R. J., 131
VAN BUSKIRK, R. L., 359
VAN DE POLL, N. E., 505
VAN DIS, H., 505
VAN DONGEN, P. A. M., 307
VAN WIMERSMA GREIDANUS, T. B., 213, 575, 625
VELLEY, L., 459
VELLUTI, R., 621
VIDYASAGAR, T. R., 285

WALKER, J., 589
WALLIS, C. J., 85
WALTON, K., 170
WARSH, J. J., 567
WATANABE, A., 193
WATANABE, S., 491
WAYMIRE, J. C., 615
WAYNER, M. J., 267, 381, 421
WEISHAAR, D. J., 435
WEISS, C. S., 267
WHISENANT, J. D., 297, 631
WONG, V., 843
WOODY, C. D., 635
WRIGHT, J. W., 17
WULFF, V. J., 803, 809, 819
WURTZ, C., 757

YAI, H., 184
YAMAGISHI, S., 195
YAMAMOTO, T., 491
YASUI, S., 148
YEANDLE, S., 139
YOSHIOKA, T., 187, 196
YOUNG, J. K., 61, 69

ZACHAR, J., 199
ZEMP, J. W., 43
ZÁBORSZKY, L., 99, 593